



PRESCRIBED PREPARATION

DAM / WATER FOUNTAINS / WATER HOLDING ITEMS

PRESCRIBED PREPARATION

DAMS / WATER FOUNTAINS / WATER HOLDING ITEMS

- **IMPORTANT - BEST TIME – NOT RAINY SEASON**
- Empty surface / item of water.
- All repairs and preparation work must be done and fully completed.
- Clean surface / item after completing the above.
- Leave surface / item to dry out completely for at least 10 to 14 days. For the period that the surface / item must stand to dry, it must be ensured that no water or moisture gets on the surface / item.
- After the above period of drying, the surface can be wiped / blown clean. No form of liquid should be used; surface / item should remain dry.
- Apply 1st thorough coat of Latex Bonding Liquid to surface. Leave for 24 hours.
- Apply 2nd thorough coat of Latex Bonding Liquid to surface. Leave for 24 hours.
- Apply 1st thorough coat of the Liquid Rubber to the surface. Leave for 24 hours.
- Apply 2nd thorough coat of the Liquid Rubber to the surface. Leave for 24 hours.
- Apply 3rd and 4th thorough coat of the Liquid Rubber to the surface. Between the 3rd and 4th layer application, the 4th layer can be applied when 3rd layer is dry to walk on and no longer sticks to shoes.
- After 4th coat is applied, let surface / item stand for 5 to 7 days before filling with water.
- After filling with water it is safe for humans and animals to use after 4 to 5 days.
- **IMPORTANT – APPLICATION WITH BRUSH FOR EVEN AND THICKER APPLICATION OF EACH LAYER**
- **THIS APPLICATION IS NOT FOR SWIMMING POOL PURPOSES**



GENERAL QUESTIONS AND 24/7 ASSISTANCE

For the arise of any queries around NON-STANDARD surfaces from the correct preparation to the final application of our products, you can WhatsApp ROOF RUBBER HEAD OFFICE the photos of the surface/s with voice notes and we'll assess it and contact you immediately with the correct instructions.

ROOF RUBBER HEAD OFFICE

CALL: 061 510 2471

WHATSAPP: 061 510 2471

E-MAIL: info@roofrubbersa.co.za

